

**AMENDMENTS TO THE CLAIMS:**

Please amend the claims as follows:

1. (Currently Amended) A method carried out by a digital television service provider of providing enhanced performance in an interactive television system, comprising:
  - scanning an interactive content bearing program for a universal resource locator (URL);
  - upon finding a URL in the interactive content bearing program, mirroring content associated with the URL to a cache memory residing at a digital television service provider facility;
  - presenting the interactive content bearing program to a plurality of subscribers;
  - receiving a request from a subscriber for the URL;
  - retrieving the mirrored content associated with the URL from the cache memory upon receipt of the request; and
  - delivering the mirrored content associated with the URL from the digital television service provider facility to the subscriber requesting the URL.
2. (Original) The method according to claim 1, further comprising purging the cache memory in accordance with a purging algorithm.
3. (Cancelled)
4. (Original) The method according to claim 2, wherein the purging algorithm purges the cache in accordance with a least frequent use algorithm.
5. (Original) The method according to claim 2, wherein the purging algorithm purges the cache in accordance with an order that the mirrored content was placed in the cache.
6. (Currently Amended) The method according to claim 1, wherein the cache memory is situated at a television service provider head end.

S/N 09/760,579

-2-

7. (Currently Amended) The method according to claim 1, wherein the delivering is carried out by transmitting the mirrored content to the subscriber requesting the URL via ~~an out-of-band channel for receipt by the subscriber using a cable modem.~~

8. (Original) The method according to claim 1, further comprising determining that the URL requested by the subscriber is not in the cache memory, and downloading the interactive content associated with the URL from the Internet.

9. (Original) The method according to claim 1, further comprising:  
examining the content associated with the URL for a secondary URL; and  
mirroring content associated with the secondary URL to the cache memory.

10. (Currently Amended) An apparatus residing at a digital television service provider site for providing enhanced performance in an interactive subscriber television system, comprising:

a cache memory residing at the digital television service provider site;

program means running on a programmed processor residing at the digital television service provider site for:

scanning an interactive content bearing program for a universal resource locator (URL);

upon finding a URL in the interactive content bearing program, mirroring content associated with the URL to the cache memory;

a media server residing at the digital television service provider site for presenting the interactive content bearing program to a plurality of subscribers;

means for receiving a request from a subscriber for the URL;

means for retrieving the mirrored content associated with the URL from the cache memory; and

means for delivering the mirrored content associated with the URL to the subscriber requesting the URL.

11. (Original) The apparatus according to claim 10, wherein the program means further comprises means for purging the cache memory in accordance with a purging algorithm.

12. (Original) The apparatus according to claim 11, wherein the purging algorithm purges the cache in accordance with an amount of time the mirrored content has been in the cache.

13. (Original) The apparatus according to claim 11, wherein the purging algorithm purges the cache in accordance with an order that the mirrored content was placed in the cache.

14. (Original) The apparatus according to claim 10, wherein the cache memory is situated at a service provider head end.

15. (Currently Amended) The apparatus according to claim 10, ~~wherein the further comprising an additional~~ cache memory situated ~~is situated~~ at a subscriber's set-top box.

16. (Original) The apparatus according to claim 10, further comprising:  
means for examining the content associated with the URL for a secondary URL; and  
means for mirroring content associated with the secondary URL to the cache memory.

17. (Currently Amended) A method carried out at a digital television service provider of providing enhanced performance in an interactive television system, comprising:  
scanning an interactive content bearing program for a universal resource locator (URL);  
upon finding a URL in the interactive content bearing program, mirroring content associated with the URL to a cache memory situated at a digital television service provider headend;

S/N 09/760,579

- 4 -

presenting the interactive content bearing program to a plurality of subscribers;  
receiving a request from a subscriber for the URL;  
retrieving the mirrored content associated with the URL from the cache memory  
upon receipt of the request;

delivering the mirrored content associated with the URL from the digital television  
service provider facility to the subscriber requesting the URL; and

purging the cache memory in accordance with a purging algorithm, wherein the  
purging algorithm purges the cache in accordance with an amount of time the mirrored  
content has been in the cache memory.

18. (Currently Amended) The method according to claim 17, wherein the mirroring further  
comprises mirroring the content associated with the URL to a local cache memory situated  
at a subscriber's set-top box, and wherein the retrieving comprises retrieving the content  
associated with the URL to one of the digital television service provider headend cache  
memory and the local cache memory.

19. (Currently Amended) The method according to claim 18, further comprising  
determining that the URL requested by the subscriber is not in the digital television service  
provider headend cache memory and the local cache memory, and downloading the  
interactive content associated with the URL from the Internet.

20. (Currently Amended) The method according to claim 17, further comprising:  
examining the content associated with the URL for a secondary URL; and  
mirroring content associated with the secondary URL to the digital television service  
provider headend cache memory.

21. (Currently Amended) A method of providing enhanced performance in an interactive  
television system, comprising:

scanning an interactive content bearing program for a universal resource locator  
(URL);

upon finding a URL in the interactive content bearing program, mirroring content associated with the URL to a cache memory situated at a digital television service provider head end and a local cache memory situated at a subscriber's set-top box;  
presenting the interactive content bearing program to a plurality of subscribers;  
receiving a request from a subscriber for the URL;  
retrieving the mirrored content associated with the URL from one of the cache memory and the local cache memory;  
delivering the mirrored content associated with the URL to the subscriber; and  
purging the cache memory in accordance with a purging algorithm, wherein the purging algorithm purges the cache in accordance with an amount of time the mirrored content has been in the cache.

22. (Original) The method according to claim 21, further comprising determining that the URL requested by the subscriber is not in the cache memory and the local cache memory, and downloading the Interactive content associated with the URL from the Internet.

23. (Currently Amended) The method according to claim 21, further comprising:  
examining the content associated with the URL for a secondary URL; and  
mirroring content associated with the secondary ~~secibdary~~ URL to the cache memory.

24. (Currently Amended) A storage medium storing Instructions which, when executed on a programmed processor residing at a digital television service provider, carry out a method of providing enhanced performance in an interactive television system, comprising:  
scanning an interactive content bearing program for a universal resource locator (URL);  
upon finding a URL in the interactive content bearing program, mirroring content associated with the URL to a cache memory residing at a digital television service provider facility;

S/N 09/760,579

- 6 -

presenting the interactive content bearing program to a plurality of subscribers;  
receiving a request from a subscriber for the URL;  
retrieving the mirrored content associated with the URL from the cache memory  
upon receipt of the request; and  
delivering the mirrored content associated with the URL from the digital television  
service provider facility to the subscriber requesting the URL.

25. (Original) The storage medium according to claim 24, further comprising purging  
the cache memory in accordance with a purging algorithm.

26. (Original) The storage medium according to claim 24, further comprising  
determining that the URL requested by the subscriber is not in the cache memory, and  
downloading the interactive content associated with the URL from the Internet.

27. (Original) The storage medium according to claim 24, further comprising:  
examining the content associated with the URL for a secondary URL; and  
mirroring content associated with the secondary URL to the cache memory.

Best Available Copy

S/N 09/760,579

-7-